



WBK[®]

AIR DRYER Producer



IATF16949:2016

WBK[®]




Zhejiang WBK Technology Co.,Ltd.

ADD:ROOM NO. 101,1 Building, Zhihui Industry Zone, Wentao Road,
Shangwang Street, Ruian city, Zhejiang Province. China

TEL:0086-577-65667598 65636687

<http://www.wbkfilter.com> <http://www.rakeno.com>



1949

Dinghuan Zhu' s son – Chongqin Zhu ,He set up the individual hardware factory. Specialized is engaged in and the development of aluminum and copper casting and bicycle spare parts production and development.

1970

Zuoyan Zhu set up the hardware workshop,the specialized in hardware manufacturing:hutch ark parts and lock parts.

2002

Chongqin Zhu' s son – Wencheng Zhu and Changxi Sun are set up garage , the specialty is engaged in the car and bus repair services, At the same time provide coach components development service.

2006

Establishment of Ruian passenger car accessories sales center.

2008

Establishment of Ruian WBACC Auto Parts Co.,Ltd , start WBACC brand, the specialty is engaged in the household air treatment , Car air treatment, industrial air treatment.

2010

Establishment of Ruian Keno trade Co. Ltd.

2012

Acquisition Tanosen filter,set up KENO group (China) Co., Ltd.

2013

And Hno hardware strategic partner agreement.

2014

Acquisition Ningbo Weiyake auto parts Co.,Ltd.

2015

Establishment of Keno group international department.

2016

Acquisition Martha China.

2017

Build the new brand ‘W’ have the certification IATF 16949:2016

2018

WBACC auto parts co. Ltd. get a merger agreement with the WBK Group (United Kingdom), start to use the new brand ‘WBK’

2019

Zhejiang WBK Technology Co.,Ltd..



WBK



IATF 16949:2016



ISO9001



0260



UOP

.Zhejiang WBK Technology Co.,Ltd. is a joint venture between KENO Group(China) and WBK Group (UK), located in “City Of Auto Part” Ruian city, Zhejiang Province,china. It is concentrating on research and manufacture of filtration system and high quality auto spare parts for heavy trucks. Such as Air Dryer , Air Dryer cartridge of brake system , and Oil filters, Fuel filters of trucks, also some hardware fittings, which suitable for heavy trucks according to OE numbers.

Our factory is an self oriented enterprise with export license, are sold well in domestic and foreign markets in Europe, Americas and South-East Asia. During the 8 years exporting, our products are warmly welcome by our overseas customers with own brands of “WBACC”, “WBK” and “W”. Currently, our factory owns independent research and development of automatic producing and assembling lines, which is including 3 sets of 400tons' Japanese JANECO hydraulic punching machines, 10 sets of manipulators and 5 sets of Automatic Visual Inspection Equipment. With the help of quality control department, our daily capacity can be up to 20,000pcs with the reliability quality.

To make high quality and guaranteed products, before delivery we will make Salt Spray Test, High-low temperature test, the seal test, molecular sieve and plate Strength test, burst pressure test, material fatigue test etc. Our stamping equipment is imported from Japan's janeco brand. We pay special attention to the size of stamping parts. We have strengthened the design for the concentricity of drying cylinder and high-pressure deformation structure, with the pressure resistance up to 30 bar or more!

With continual investment our research & development teams drive to obtain market information in order to plan, design and approve concepts for future products. WBK take its role as a reliable provider of all things filters extremely seriously.


WBK has excelled in the national market by providing quality parts and services, becoming the leading replacement company for Filter auto parts.



WBK[®]

**AIR DRYER CARTRIDGE
PRODUCTION LINE**

AIR DRYER CARTRIDGE PRODUCER





WBK[®]

**AIR DRYER CARTRIDGE
STRETCHING MACHINE**
















AIR DRYER



AIR DRYER CARTRIDGE



Filter Features							
Drying performance		+	++	++	+++	+++	++
Oil separation performance			+	++	++	++	+
Aerosol separation performance				+	++	++	
M39x1.5	14bar	AD-4324102227 AD-4324108682 AD-T250W AD-20972915	AD-4324100202,AD-4324102412 AD-TB-1374X,AD-4324102292 AD-BA1374 AD-AL12	AD-4329012232,AD-TB1394/1X AD-4324109362 AD-T280W,AD-4329012242 AD-AL24	AD-4324102442 AD-TB1396/X AD-P952185 AD-ELD8103	AD-K039454 AD-009460 AD-K003776 AD-0004295695	AD-II40100F AD- II17793 AD- 0004300A969 AD-K001185 Low temperature(-45° C)
M39x1.5 Left-hand thread 	14bar			AD-4329012452 AD-TB1394/5X AD-BA5566 AD-09	AD-4329112452 AD-TB1396/5X AD-1527765 AD-5001865404	AD-K039453 AD-K137356K50 AD-7421602383 AD-21267818,AD-20754416	
M41x1.5	14bar			AD-4329012462 AD-TB1394/6X AD-1681575 AD-1821580,AD-1527755	AD-4329112462 AD-TB1396/6X	AD-K039455 AD-K015857	
M41x2.0	14bar					AD-TB1394 / 8X AD-K102196 AD-T380W AD-AL35	
M41x1.5 Reduced height (135 mm)	14bar	AD-T200W AD-TB1364X AD-AF27853 AD-1439553	AD-1391510 AD-BA5376 AD-AL22				AD-II41300F AD-II39737F
M42x1.5	20bar		AD-4324102202 AD-1374/4X AD-1932687				AD- II38789F004 AD-5000295422 AD-0004293995
G1 1/4	14bar	AD-4324152207					
G1 1/4 	SW30 14bar		AD-4324109272,AD-4324102232 AD-T300W,AD-4324102262 AD-TB1374/3X,AD-BA5375 AD-1384549	AD-4329012282 AD-AL14 AD-TB1394/3X AD-4329012262	AD-4329112282 AD-1774598 AD-TB1396/3X		AD- K087957 AD-0986628252 AD-1504935 AD-1455253
M39x1.5 small sealing ring 	SW30 14bar					AD-K096383 AD-1925363 AD-4329012532	



W-Oil filter structure



K-Oil filter structure

A

"A"QUALITY

Thickness of Housing:0.9MM
Screw cover plate: 6.0MM
connecting plate: 1.0MM
Molecular Sieve:21WT%,100N
Gasket of spring
Plastic inner container
non-woven fabrics
silk wadding
filter paper
Rectangular ring
O-ring

B

"B"QUALITY

Thickness of Housing:0.9MM
Screw cover plate: 5.0MM
connecting plate: 1.0MM
Molecular Sieve:19WT%, 90N
Gasket of spring
Plastic inner container
non-woven fabrics
filter paper
Rectangular ring
O-ring

C

"C"QUALITY

Thickness of Housing:0.8MM
Screw cover plate: 4.5MM
connecting plate: 1.0MM
Molecular Sieve:10WT%, 75N
Gasket of spring
Plastic inner container
non-woven fabrics
Rectangular ring
O-ring

D

"D"QUALITY

Thickness of Housing:0.8MM
Screw cover plate: 4.5MM
connecting plate: 1.0MM
Molecular Sieve:10WT%, 75N
Short Plastic inner container
Gasket of spring
Plastic inner container
non-woven fabrics
Rectangular ring
O-ring



W4324102227
USE FOR VOLVO MERCEDES-BENZ



W4329012532
USE FOR DAF



W4329019272
USE FOR SCANIA



WT224
INDUSTRIAL AIR DRYER



W22223804
USE FOR VOLVO SCANIA



W78964
USE FOR VOLVO SCANIA



W4329012452
USE FOR RENAULT



W4329112462
USE FOR DAF



W1391510
USE FOR DAF




W107794
USE FOR USA TRUCK




W109493
USE FOR USA TRUCK



WR950069
INDUSTRIAL AIR DRYER



WBK number	Reference	Type	Air dryer	MCPV	Applications
WZB4578	ZB4578	A	LA8130	AE4528	DAF
WZB4544	ZB4544	A	LA8116	AE4526	DAF
WZB4593	ZB4593	B	LA8125	AE4516	IVECO
WZB4587	ZB4587	C	LA8125	AE4502	IVECO
WZB4511	ZB4511	D	LA9000	AE4510	BENZ
WZB4512	ZB4512	D	LA9001	AE4510	BENZ
WZB4534	ZB4534	D	LA9010	AE4510	BENZ
WZB4535	ZB4535	D	LA9011	AE4510	BENZ
WZB4528	ZB4528	E	LA9024	AE4506	BENZ
WZB4564	ZB4564	E	LA9004	AE4506	BENZ
WZB4800	ZB4800	F	LA9015	AE4800	BENZ
WZB4801	ZB4801	F	LA9016	AE4800	BENZ
WZB4802	ZB4802	F	LA9017	AE4800	BENZ
WZB4803	ZB4803	F	LA9035	AE4800	BENZ
WZB4805	ZB4805	F	LA9020	AE4800	BENZ
WZB4734	ZB4734	G	LA8606	AE4560	IVECO
W-ZB001	--	H	LA8645	AE4528	DAF
WZB4400	ZB4400	I	Monobloc	Monobloc	GAZ
WZB4402	ZB4402	I	Monobloc	Monobloc	IRISBUS
WZB4403	ZB4403	I	Monobloc	Monobloc	URAL, PAZ
WZB4407	ZB4407	I	Monobloc	Monobloc	LIZA
WZB4409	ZB4409	I	Monobloc	Monobloc	KRAZ
WZB4415	ZB4415	I	Monobloc	Monobloc	HYUNDAI
WZB4417	ZB4417	I	Monobloc	Monobloc	IRISBUS
WZB4418	ZB4418	I	Monobloc	Monobloc	HYUNDAI
WZB4421	ZB4421	I	Monobloc	Monobloc	PAZ
WZB4424	ZB4424	I	Monobloc	Monobloc	FORD
WZB4427	ZB4427	I	Monobloc	Monobloc	HYUNDAI



WBK number	Reference	Type	Air dryer	MCPV	Applications
W932 500 003 0	932 500 003 0	A	932 400 003 0	934 705 002 0	BENZ
W933 500 005 0	933 500 005 0	A	932 400 006 0	934 705 002 0	BENZ
W932 500 015 0	932 500 015 0	A	932 400 006 0	934 705 003 0	DAF
W932 500 006 0	932 500 006 0	B	932 400 001 0	934 705 005 0	BENZ
W932 500 007 0	932 500 007 0	B	932 400 002 0	934 705 005 0	BENZ, DAF
W932 500 013 0	932 500 013 0	B	932 400 005 0	934 705 005 0	BENZ, DAF
W932 500 014 0	932 500 014 0	B	932 400 006 0	934 705 005 0	BENZ, DAF
W932 500 021 0	932 500 021 0	B	932 400 014 0	934 705 008 0	BENZ
W932 500 110 0	932 500 110 0	B	932 400 024 0	934 705 005 0	BENZ
W932 500 035 0	932 500 035 0	C	432 415 904 0	934 714 151 0	BENZ
W932 510 009 0	932 510 009 0	D	932 510 956 2	932 510 958 2	SCANIA



* V-voss P- with plug T- tyre inflation device U- unthreaded

WBK number	Reference	Type	1	12	21	23	24	25	Cut-out	Applications
WLA8130	LA8130	E	M22P	M22	M16	M16 V	M22	-	10.4	DAF
WLA8116	LA8116	E	M22P	M22	M16	M16 V	M22	-	10.0	DAF
WLA8125	LA8125	F	M22	M22	M16	M16	M22	M16	10.5	IVECO
WLA8105	LA8105	F	M22	M22	M16	M16	M22	M16	11.0	IVECO
WLA8606	LA8606	G	M22	M22	M16	M16	M22	M16	10.5	IVECO
WLA8645	LA8645	H	M22P	M22	M16	M16 V	M22	-	10.4	DAF

WBK number	Reference	Type	1	12	21	22	23	24	4/25	Cut-out	Applications
WLA9000	LA9000	I	M22	M12 P	U	M16 V	M22 T	M22 V P	M10 V P	12.3	BENZ
WLA9001	LA9001	I	M22	M12 P	U	M16 V	M22 T	M22 V P	M10 V P	12.3	BENZ
WLA9004	LA9004	I	M22	M12 P	M22	M16 V	M22 T	M22 V P	M10 V P	11.5	BENZ
WLA9010	LA9010	I	M22	M12 P	M22	M16 V	M22 T	M22 V P	M10 V P	12.3	BENZ
WLA9011	LA9011	I	M22	M12 P	M22	M16 V	M22 T	M22 V P	M10 V P	12.3	BENZ
WLA9018	LA9018	I	M22	M12	U	M16 V	M22 T	M22 V P	M10 V P	10.0	BENZ
WLA9020	LA9020	I	M22	M12 P	M22	M16 V	M22 T	-	-	10.0	BENZ
WLA9024	LA9024	I	M22	M12 P	M22	M16 V	M22 T	M22 V P	M10 V P	11.5	BENZ
WLA9034	LA9034	I	M22	M12 P	U	M16 V	M22 T	M22 V P	M10 V P	12.3	BENZ

AIR DRYER

WWW.WBKFILTER.COM




* V-voss P- with plug

WBK number	Reference	Type	1	21	22	4/23	Cut-out	Applications
WLA8200	LA8200	A	M22	M22 V	M16 V	M16	8.5	BENZ
WLA8201	LA8201	A	M22	M22 V	M16 V	M16	10.0	BENZ
WLA8202	LA8202	A	M22	M22 V	M16 V	M16	12.0	BENZ
WLA8206	LA8206	A	M22	M22 V	M16 V	M16	9.8	DAF, BENZ, MAN
WLA8207	LA8207	A	M22 V	M22 V	M16 V	M16	8.5	MAN, DENNIS, STEYR
WLA8209	LA8209	A	M22 V	M22 V	M16 V	M16	10.0	MAN, EVOBUS, STEYR
WLA8210	LA8210	A	M22 V	M22 V	M16 V	M16	10.0	MAN, ERF, STEYR
WLA8211	LA8211	A	M22 V	M22 V	M16 V	M16	12.5	MAN, STEYR
WLA8212	LA8212	A	M22 V	M22 V	M16 V	M16	12.5	MAN, RENAULT, ERF, STEYR
WLA8219	LA8219	A	M22	M22 V	M12	M12	11.0	IVECO, VOLVO
WLA8220	LA8220	A	M22	M22 V	M12	M12	11.0	IVECO, DAF
WLA8222	LA8222	A	M22	M22 V	M12	M12	12.5	SCANIA, IVECO, OPTARE
WLA8225	LA8225	A	M22	M22 V	M12	M12	8.1	BENZ, MAN, BMC, DENNIS
WLA8229	LA8229	A	M22	M22 V	M12	M12	9.5	IVECO, OPTARE
WLA8233	LA8233	A	M22	M22 V	M12	M12	12.5	IVECO, IKARBUS, RENAULT
WLA8242	LA8242	A	M22	M22 V	M12	M12	11.0	IVECO
WLA8245	LA8245	A	M22	M22 V	M12	M12	8.5	BMC, BENZ
WLA8272	LA8272	A	M22	M22 V	M12	M12	11.0	IVECO, DAF
WLA8284	LA8284	A	M22	M22 V	M16 V	M16	9.8	DAF
WLA8286	LA8286	A	M22	M22 V	M12	M12	12.0	VOLVO
WLA8003	LA8003	B	M22	M22 V	-	M12 P	9.5	RENAULT
WLA8016	LA8016	B	M22	M22 V	-	M12 P	9.5	RENAULT
WLA8041	LA8041	B	M22	M22 V	-	M12 P	12.5	RENAULT
WLA8047	LA8047	B	M22	M22 V	-	M12 P	8.3	IVECO
WLA8060	LA8060	B	M22	M22 V	-	M12 P	8.1	RENAULT
WLA8061	LA8061	B	M22	M22 V	-	M12 P	12.5	RENAULT
WLA8076	LA8076	B	M22	M22 V	-	M12 P	9.5	RENAULT

WBK number	Reference	Type	1	21	4	12	Cut-out	Applications
W432 425 101 0	432 425 101 0	C	M22 V	M22 V	M12	M16	13.0	VOLVO
W432 425 105 0	432 425 105 0	C	M22 V	M22 V	M12	M16	13.0	VOLVO
W432 425 005 0	432 425 005 0	C	M22 V	M22 V	M12	M16	13.0	VOLVO
W432 425 007 0	432 425 007 0	C	M22 V	M22 V	M12	M16	13.0	VOLVO
W432 425 001 0	432 425 001 0	C	M22 V	M22 V	M12	M16	13.0	VOLVO

AIR DRYER

WWW.WBKFILTER.COM




* V-voss

WBK number	Reference	Type	1	21	22	4/23	Cut-out	Heater	Applications
W432 410 000 0	432 410 000 0	A	M22	M22	M12	-	8.1	1.1	UNIVERSAL
W432 410 003 0	432 410 003 0	A	M22	M22	M12	-	8.1	1.2	UNIVERSAL
W432 410 004 0	432 410 004 0	A	M22	M22	M12	M12	11.2	1.1	PEGASO
W432 410 005 0	432 410 005 0	A	M22	M22	M12	M12	10.0	3	MAN
W432 410 007 0	432 410 007 0	A	M22	M22	M12	M12	8.5	1.1	UNIVERSAL
W432 410 008 0	432 410 008 0	A	M22	M22	M12	-	11.8	1.1	EVOBUS
W432 410 020 0	432 410 020 0	A	M22	M22	M12	-	9.5	1.1	NEOPLAN
W432 410 021 0	432 410 021 0	A	M22	M22	M12	-	9.5	3	DAF, IVECO
W432 410 022 0	432 410 022 0	A	M22	M22	M12	M12	9.5	1.1	DAF, IVECO
W432 410 023 0	432 410 023 0	A	M22	M22	M12	M12	11.0	3	DAF, IVECO
W432 410 024 0	432 410 024 0	A	M22	M22	M12	M14	9.5	1.1	UNIVERSAL
W432 410 025 0	432 410 025 0	A	M22	M22	M12	M14	9.5	2	IVECO
W432 410 027 0	432 410 027 0	A	M22	M22	M12	-	10.0	1.1	MAN, NEOPLAN
W432 410 028 0	432 410 028 0	A	M22	M22	M12	-	8.1	1.1	MAN. OTOKAR
W432 410 031 0	432 410 031 0	A	M22	M22	M12	-	7.8	3	IVECO
W432 410 033 0	432 410 033 0	A	M22	M22	M12	M12	12.5	3	DAF, IVECO
W432 410 034 0	432 410 034 0	A	M22	M22	M12	M12	12.5	2	DAF, IVECO
W432 410 036 0	432 410 036 0	A	M22	M22	M12	-	7.3	1.1	OTOKAR
W432 410 037 0	432 410 037 0	A	M22	M22	M12	-	7.3	3	UNIVERSAL
W432 410 038 0	432 410 038 0	A	M22	M22	M12	-	12.5	3	UNIVERSAL
W432 410 041 0	432 410 041 0	A	M22	M22	M12	-	8.5	1.1	BENZ
W432 410 042 0	432 410 042 0	A	M22 V	M22 V	M16 V	M16 V	8.5	1.1	BENZ,DAF
W432 410 043 0	432 410 043 0	A	M22 V	M22 V	M16 V	M16 V	9.5	1.1	BENZ
W432 410 049 0	432 410 049 0	A	M22	M22	M12	-	9.0	1.1	UNIVERSAL
W432 410 050 0	432 410 050 0	A	M22	M22	M12	-	8.1	1.1	UNIVERSAL
W432 410 064 0	432 410 064 0	A	M22	M22	M12	M12	8.2	2	VW
W432 410 066 0	432 410 066 0	A	M22 V	M22 V	M16 V	M16 V	8.5	2	BENZ,DAF
W432 410 067 0	432 410 067 0	A	M22 V	M22 V	M16 V	M16 V	8.5	1.1	BENZ
W432 410 068 0	432 410 068 0	A	M22 V	M22 V	M16 V	M16 V	10.0	2	BENZ
W432 410 069 0	432 410 069 0	A	M22 V	M22 V	M16 V	M16 V	10.0	1.1	BENZ
W432 410 073 0	432 410 073 0	A	M22	M22	M12	M12	10.0	3	IVECO,DAF
W432 410 074 0	432 410 074 0	A	M22	M22	M12	M12	12.5	3	IVECO
W432 410 078 0	432 410 078 0	A	M22	M22	M12	M12	8.5	3	UNIVERSAL
W432 410 102 0	432 410 102 0	A	M22	M22	M12	-	8.1	1.1	UNIVERSAL
W432 410 104 0	432 410 104 0	A	M22	M22	M12	-	8.1	1.1	UNIVERSAL
W432 410 110 0	432 410 110 0	A	M22	M22	M12	-	12.5	2	MAN
W432 410 111 0	432 410 111 0	A	M22	M22	M12	-	12.5	3	MAN
W432 410 113 0	432 410 113 0	A	M22 V	M22 V	M16 V	M16 V	12.5	2	MAN,DAF
W432 410 115 0	432 410 115 0	A	M22 V	M22 V	M16 V	M16 V	8.5	2	MAN,DAF
W432 410 117 0	432 410 117 0	A	M22 V	M22 V	M16 V	M16 V	10.5	2	MAN,DAF
W432 410 118 0	432 410 118 0	A	M22	M22	M12	M12	8.8	1.1	UNIVERSAL
W432 410 200 0	432 410 200 0	A	M22	M22	M12	-	8.1	2	MAN
W432 410 201 0	432 410 201 0	A	M22	M22	M12	-	8.1	3	UNIVERSAL
W432 410 250 0	432 410 250 0	A	M22	M22	M12	-	10.0	2	MAN,DAF
W432 410 720 0	432 410 720 0	A	M22	M22	M16	-	12.5	3	MAN

AIR DRYER

WWW.WBKFILTER.COM



* V-voss P- with plug T- tyre inflation device S- safety valve E- external thread U- unthreaded N – N PTF

WBK number	Reference	Type	1	21	22	4/23	Mounting	Cut-out	Applications
W432 410 081 0	432 410 081 0	A	M22	M22	M12	M12	M12×1.75	9.3	SCANIA
W432 410 082 0	432 410 082 0	A	M22	M22	M12	M12	M12×1.75	12.2	SCANIA
W432 410 083 0	432 410 083 0	A	M22	M22	M12	M12	M12×1.75	9.3	SCANIA
W432 410 090 0	432 410 090 0	B	M22	M22	M12	M12	M12×1.75	12.2	SCANIA
W432 410 095 0	432 410 095 0	B	M22	M22	M12	M12	M12×1.75	9.3	SCANIA
W432 420 000 0	432 420 000 0	C	M22	M22	M12	M12	M12×1.75	-	BENZ, PEGASO
W432 421 002 0	432 421 002 0	C	M22 V	M22 V	M16 V	M16 V	M12×1.5	-	BENZ
W884 503 358 0	884 503 358 0	C	M22	M22	M12	M12	M12×1.75	-	FORD

WBK number	Reference	Type	1	21	25	4	31	Cut-out	Applications
W432 415 904 0	432 415 904 0	D	M22	M22	-	M12 P	-	8.5	FORD


WBK number	Reference	Type	1	12	21	22	4/25	23	24	Cut-out	Applications
W932 400 001 0	932 400 001 0	E	M22	M12	M22	M16 V	M10 VP	M16 VT	M22 VP	12.0	BENZ. DAF
W932 400 002 0	932 400 002 0	E	M22	M12	M22	M16 V	M10 VP	M16 VT	M22 VP	12.0	BENZ. DAF
W932 400 003 0	932 400 003 0	E	M22	M12 P	M22	M16 V	M10 VP	M16 VT	M22 V	10.0	BENZ, FAUN
W932 400 006 0	932 400 006 0	E	M22	M12	M22	M16 V	M10 V	M16 VT	M22 V	12.0	BENZ. DAF
W932 400 024 0	932 400 024 0	E	M22	M12	M22	M16 V	M10 VP	M16 VT	M22 VP	12.0	UNIVERSAL

WBK number	Reference	Type	1	21	22	4	5	31	Cut-out	Applications
W432 421 009 0	432 421 009 0	F	1/2" N	1/2" N	1/4" N	1/4" N	-	S	-	AMERICAN TRUCK
W432 421 028 0	432 421 028 0	F	M22	M22	M12	M12	-	-	8.1	UNIVERSAL
W432 421 903 0	432 421 903 0	F	1/2" N	1/2" N	1/4" N	1/4" N	-	S	-	AMERICAN TRUCK
W432 413 001 0	432 413 001 0	G	1/2" N	1/2" N	-	1/4" N	-	S	-	AMERICAN TRUCK
W432 415 000 0	432 415 000 0	G	M22	M22 V	-	-	M14 V	-	8.0	UNIVERSAL
W432 415 022 0	432 415 022 0	G	M22	M22	-	M12 P	-	M16 T	9.8	FORD, MAN
W432 415 030 0	432 415 030 0	G	M22	M22 V	-	M12	-	-	8.3	UNIVERSAL

WBK number	Reference	Type	1.1	1.2	24.3	3.1	Mounting	Cut-out	Applications
W932 510 956 2	932 510 956 2	H	U	M12	M12	S	M12×1.75 E	12.5	SCANIA

AIR DRYER

WWW.WBKFILTER.COM



WBK number	Reference	Type	Supply	Delivery	Control	Heater	Applications
W065224	065224	A	1/2"NPT	1/2"NPT	1/4"NPT	24V	AMERICAN TRUCK
W065225	065225	A	1/2"NPT	1/2"NPT	1/4"NPT	12V	AMERICAN TRUCK
W109991	109991	B	1/2"NPT	1/2"NPT	1/4"NPT	12V	AMERICAN TRUCK
W5004050	5004050	C	1/4"NPT	1/4"NPT	1/4"NPT	12V	AMERICAN TRUCK
W5010696	5010696	C	1/4"NPT	1/4"NPT	1/4"NPT	12V	AMERICAN TRUCK
W109477X	109477X	D	1/2"NPT	1/2"NPT	1/4"NPT	12V	AMERICAN TRUCK
W109478X	109478X	D	1/2"NPT	1/2"NPT	1/4"NPT	24V	AMERICAN TRUCK

WBK number	Reference	Type	Black box	Cut-out	Port 4	Heater	Applications
W78127	78127	E	78712S	8.9	M12	-	RVI
W78984	78984	E	87346S	9.3	M12	24V	SCANIA
W78985	78985	E	87347S	12.2	M12	24V	SCANIA
W78986	78986	E	87348S	10.3	M12	24V	SCANIA
W78988	78988	E	78717S	8.5	M12P	-	VOLVO
W78990	78990	E	78703S	12	M12P	-	VOLVO
W87282	87282	E	87332S	10.8	M12P	-	VOLVO
W93096	93096	E	93101S	10.8	M12	-	VOLVO

Consep condenser



WBK number	Reference	Type	Ports	Voltage current	Comments
W35MA1-50030	35MA1-50030	A	1/2" NPT	24V / 0.5A	-
W35MA2-50030	35MA2-50030	A	M22	24V / 0.5A	Other numbers: 92693S, 92573S, 92671S, 92794S
W92939S	92939S	B	M22	24V / 0.5A	Cable 1m, din contact, pipe
W41210029	41210029	C	1/2" NPT	24V / 0.5A	With relay
W310041001	310041001	D	M22	-	Pneumatic

Multi circuit protection valve



AE4502



AE4516




AE4528



AE4510



AE4525



AE4505



AE4506



AE4560



AE4535




AE4800




AE4804



934 705 002 0



934 705 005 0



932 510 958 2



AE4604



AE4605



AE4612



AE4158



AE4162



AE4168

Multi circuit protection valve



AE4170



AE4404



AE4409



AE4434



AE4440



AE4452



934 702 000 0



934 702 210 0



934 702 250 0



934 702 260 0



934 702 300 0




934 702 380 0



934 713 004 0



934 714 010 0



934 714 403 0



934 714 740 0

Air pressure sensor



13Bar DC 5V/24V

441 043 502 1



13Bar DC 5V/24V

932 500 501 1



13Bar DC 5V/24V

39746F