




ZHEJIANG WBK TECHNOLOGY CO.,LTD.

ADD: ROOM NO. 101,201,301, 1 Building, Zhihui Industry Zone, Wentao Road, Shangwang Street, Ruian city, Zhejiang Province.
China P.O.:325200

TEL:0086-57765636687 FAX:0086-57765909007 TAX: 91330381063171878A E_MAIL:amber@rakeno.com

NAME	WBK NO.	REF NO.	Photos		Remarks
AIR DRYER	WBK-ADC0202F	4324100202 II40100F TB1374X T250W			Black color Filter water MAX:14BAR Thread:M39X1.5RH
AIR DRYER	WBK-ADC4102227F	4324102227 II40100F TB1374X T250W			White color Filter water MAX:14BAR Thread:M39X1.5RH
AIR DRYER	WBK-ADC9012232F	4329012231 4329012232 K039454 TB1394/1X T280W			Filter Oil & Water MAX:14BAR Thread:M39X1.5RH
AIR DRYER	WBK-ADC4102442F	4324102442			Filter Aerosol & Oil & Water MAX:14BAR Thread:M39X1.5RH
AIR DRYER	WBK-ADFT21N50	K146421N50 H4356F02026A0		Foton Daimler GTL	Cut pressure: 8.5Bar Inlet port: M22x1.5 Exhaust port: M22X1.5(VOSS) APU amounting port: M12X1.75
AIR DRYER	WBK-ADJ60N50	K107680N50 5801856494 K128700N50 3515020-81W-C00/C K162493N50 3515020-81W-C00/F		Shang Yi Hong Faw Jiefang J6	Cut pressure: 9.3Bar Inlet port: M22x1.5 Exhaust port: M22X1.5(VOSS) APU amounting port: M12X1.75
AIR DRYER	WBK-ADSX8N50	K163678N50 NXG3511WEFWA31 - 010 K188351N50 3515020-51N-C00		Shaanxi Automobile Liberate the tractor	Cut pressure: 10.8Bar Inlet port: M22x1.5 Exhaust port: M22X1.5(VOSS) APU amounting port: M12X1.75
AIR DRYER with pressure relief valve	WBK-ADFT5N50	K155895N50 H536F02021A0 K153733N50 H5356F02020A0 K134576N50 H4356F02023A0 K126122N50 3543010-92100		Foton Daimler H4 H5 Foton Daimler tractors Dongfeng Tianlong	Cut pressure:10.5Bar Inlet port: M22x1.5 Exhaust port: M22X1.5(VOSS) APU amounting port: M12X1.75

AIR DRYER with pressure relief valve	WBK-ADHY3N50	K1871123N50 6000025250		Saic Hongyan	Cut pressure:10.8Bar Inlet port: M22x1.5 Exhaust port: M22X1.5(VOSS) APU amounting port: M12X1.5
AIR DRYER with pressure relief valve	WBK-ADYQ5N50	K114105N50 3515020-66W-C00		FAW J6	Cut pressure:10.8Bar Inlet port: M22x1.5 Exhaust port: M22X1.5(VOSS) APU amounting port: M12X1.75
AIR DRYER with pressure relief valve	WBK-ADDF71N50	K159071N50 3543010-92300		Dongfeng	Cut pressure:12.5Bar Inlet port: M22x1.5 Exhaust port: M22X1.5(VOSS) APU amounting port: M12X1.75
AIR DRYER with pressure relief valve	WBK-ADFT8N50	K167688N50 H535500000001		Foton	Cut pressure:12.5Bar Inlet port: M22x1.5 Exhaust port: M22X1.5(VOSS) APU amounting port: M12X1.5
AIR DRYER with pressure relief valve and inflation connector	WBK-ADTM4N50	K147004N50		Tiema	Cut pressure:8.3Bar Inlet port: M22x1.5 Exhaust port: M22X1.5(VOSS) APU amounting port: M12X1.75
AIR DRYER with sensor	WBK-ADYQ8N50	K170928N50 3515020-97R-C001A		FAW J6	Cut pressure:9.3Bar Inlet port: M22x1.5 Exhaust port: M22X1.5(VOSS) APU amounting port: M12X1.75
AIR DRYER with sensor	WBK-ADX7N50	K099687N50 595507V000		Hyundai	Cut pressure:9.8Bar Inlet port: M22x1.5 Exhaust port: M22X1.5(VOSS) APU amounting port: M12X1.75
AIR DRYER with pressure relief valve and sensor	WBK-ADJL5N50	K114125N50 JC462A131AB		JMC 6x4 tractor	Cut pressure:10.5Bar Inlet port: M22x1.5 Exhaust port: M22X1.5(VOSS) APU amounting port: M12X1.75
AIR DRYER with pressure relief valve and sensor	WBK-ADJF6N50	K161586N50 3515020-85T-C00		FAW J6	Cut pressure:12.5Bar Inlet port: M22x1.5 Exhaust port: M22X1.5(VOSS) APU amounting port: M12X1.75

AIR DRYER with pressure relief valve and sensor	WBK-ADHY4N50	K169294N50 60000009809		Saic Hongyan	Cut pressure:12.7Bar Inlet port: M22x1.5 Exhaust port: M22X1.5(VOSS) APU amounting port: M12X1.75
AIR DRYER with pressure relief valve	WBK-ADFT1N50	K171811N50 3543010-92301 K180847N50 H535500000002		DONGFENG FOTON	Cut pressure:12.5Bar Inlet port: M22x1.5 Exhaust port: M22X1.5(VOSS) APU amounting port: M12X1.5
AIR DRYER with pressure relief valve and sensor	WBK-ADSQ6N50	K188346N50 DZ96189361087		SHACMAN	Cut pressure:10.8Bar Inlet port: M22x1.5 Exhaust port: M22X1.5(VOSS) APU amounting port: M12X1.5
AIR DRYER with pressure relief valve and sensor	WBK-ADDF1N50	K181361N50 3543010-92302		DONGFENG	Cut pressure:12.5Bar Inlet port: M22x1.5 Exhaust port: M22X1.5(VOSS) APU amounting port: M12X1.5
AIR DRYER with pressure relief valve and sensor	WBK-ADJF4N50	K156844N50 K156884JF K182557N50 K182557JF		FAW	Air compressor connect port: M16x1.5 Inlet port: M22x1.5 Exhaust port: M22X1.5(VOSS) APU amounting port: M12X1.75
AIR DRYER with pressure relief valve and sensor	WBK-AD5102306	WG9000360417/1 3543010-92222 9325102306		HOWO TX DONGFENG TIANLONG VL	
AIR DRYER	WBK-AD4101290	4324101020 4324101290 4324100000		KAMAZ Steyr Most trucks	Port 22: M12X1.5
AIR DRYER	WBK-AD4101470	4324101120 4324101470		HOWO	Port 22: M16X1.5
AIR DRYER	WBK-360571	WG9000360571		HOWO T7	Port 22: M16X1.5 Port 4: M16X1.5
AIR DRYER	WBK-ADHL010	NCL35522DM -010		CAMC	
AIR DRYER	WBK-ADAW368	3515010-368		J5	